

- 1) Lataa kamerasta (NET valikko) asetusohjelma SD muistikortille
- 2) Aseta SD muistikortti Windows tietokoneeseen ja avaa GSMSETUP tiedosto
- 3) Täytä taulukko seuraavasti omalle operaattorille sopivaksi

# Sonera/TeleFinland

**UOV Setup V4.04E**

**NET**

**Send Mode**

- Instant  (0-99, 0=Unlimited)
- DailyReport  :
- Off

**Operator Parameter**

Country

Operator

Rename     
(a-z, A-Z, 0-9 only)

Max Size  KB (35-120KB)

**SMS Control**

Switch

Master Phone

**Send To**

- Phone
- Email

**Recipients**

Phone2

Phone3

Phone4

Email1

Email2

Email3

Email4

Path:

**Email Set**

SMTP Server

SMTP Port   Secure login(SSL)

Email

Account

Password

**Operator Param**

**MMS**

URL

Gateway

APN  Port

Account

Password

**GPRS**

APN

Account

Password

# Elisa

**UOV Setup V4.04E**

**NET**

Send Mode

- Instant 0 (0-99, 0=Unlimited)
- DailyReport 0 : 0
- Off

Operator Parameter

Country Customer

Operator Customer1 Custom

Rename On 3G (a-z, A-Z, 0-9 only)

Max Size 60 KB (35-120KB)

Path: I:\

**SMS Control**

Switch On

Master Phone 040123456

Send To

- Phone
- Email **Email Set**

**Recipients**

Phone2

Phone3

Phone4

Email1 oma.postisi@geemaili.com

Email2

Email3

Email4

Default

**Email Set**

SMTP Server smtp.163.com

SMTP Port 465  Secure login(SSL)

Email uovision\_110@163.com

Account uovision\_110@163.com

Password UOVISION

OK Cancel

**Operator Param**

**MMS**

URL http://mms.elisa.fi

Gateway 213 . 161 . 41 . 57

APN mms Port 80

Account

Password

**GPRS**

APN internet

Account

Password

OK Cancel

# DNA

The image shows a configuration window titled "UOV Setup V4.04E" with several sub-sections and three smaller dialog boxes. Red arrows indicate connections between fields in the main window and the smaller dialog boxes.

**NET**

- Send Mode:**  Instant (0) (0-99, 0=Unlimited);  DailyReport (0) : (0);  Off
- Operator Parameter:** Country: Customer; Operator: Customer1; Custom:  (a-z, A-Z, 0-9 only)
- Rename:** On; 3G
- Max Size:** 60 KB (35-120KB)

**SMS Control**

- Switch: On
- Master Phone: 040123456

**Send To**

- Phone;  Email; **Email Set**

**Recipients**

- Phone2:
- Phone3:
- Phone4:
- Email1: oma.postisi@geemaili.com
- Email2:
- Email3:
- Email4:

**Default**

**Path:** I:\

**Email Set**

- SMTP Server: smtp.163.com
- SMTP Port: 465;  Secure login(SSL)
- Email: uovision\_110@163.com
- Account: uovision\_110@163.com
- Password: UOVISION

**Operator Param**

- MMS:** URL: http://mmsc.dnainland.fi; Gateway: 10 . 1 . 1 . 2; APN: mms; Port: 8080; Account: ; Password:
- GPRS:** APN: internet; Account: ; Password:

# Saunalahti

**UOV Setup V4.04E**

**NET**

**Send Mode**

- Instant  (0-99, 0=Unlimited)
- DailyReport  :
- Off

**Operator Parameter**

Country

Operator

Rename     
(a-z, A-Z, 0-9 only)

Max Size  KB (35-120KB)

**SMS Control**

Switch

Master Phone

**Send To**

- Phone
- Email

**Recipients**

Phone2

Phone3

Phone4

Email1

Email2

Email3

Email4

Path:

**Email Set**

SMTP Server

SMTP Port   Secure login(SSL)

Email

Account

Password

**Operator Param**

**MMS**

URL

Gateway

APN  Port

Account

Password

**GPRS**

APN

Account

Password

# Saunalahti PrePaid

The image shows a configuration window titled "UOV Setup V4.04E" with several sub-sections and three smaller dialog boxes.

**NET**

- Send Mode:**  Instant (0) (0-99, 0=Unlimited),  DailyReport (0) : (0),  Off
- Operator Parameter:** Country: Customer, Operator: Customer1, Custom: Custom
- Rename:** On, 3G (a-z, A-Z, 0-9 only)
- Max Size:** 60 KB (35-120KB)

**SMS Control**

- Switch: On
- Master Phone: 040123456

**Send To**

- Phone,  Email **Email Set**

**Recipients**

- Phone2, Phone3, Phone4
- Email1: oma.postisi@geemaili.com
- Email2, Email3, Email4

**Default**

**Path:** I:\

**Email Set**

- SMTP Server: smtp.163.com
- SMTP Port: 465,  Secure login(SSL)
- Email: uovision\_110@163.com
- Account: uovision\_110@163.com
- Password: UOVISION

**Operator Param**

- MMS:** URL: http://mms.elisa.fi, Gateway: 213 . 161 . 41 . 57, APN: mms, Port: 80, Account, Password
- GPRS:** APN: internet, Account, Password

Red arrows indicate connections between the "Email Set" dialog and the "Email Set" radio button in the "Send To" section, and between the "Custom" button in the "Operator Parameter" section and the "Operator Param" dialog.